

DEALER COVERAGE CONNECTED TO YOUR WORLD



GLOBAL HEADQUARTERS: Mississauga, Ontario, CANADA

CANADA: Lachine, Quebec. UNITED STATES: Agawam, MA. Blasdell, NY. Charlottle, NC. Schillar Park, IL. Salt Lake City, UT. Kent WA. PERU: Lima. IRELAND: Dublin, Galway. UK: Peterborough. SPAIN: Murcia, Cartagena, Barcelona. BELGIUM: Brussels. NETHERLANDS: Waalwijk, Rotterdam. POLAND: Warsaw, Krakow. CYPRUS: Latsia. HUNGARY: Budapest. CZECH REPUBLIC: Prague. TURKEY: Istanbul. PHILLIPINES: Davao City. UNITED ARAB EMIRATES: Dubai. PAKISTAN: Karachi.

MOBILE INDUSTRIES, INC. 3750 B Laird Rd – Unit 2 & 3 Mississauga, ON, LSL OA6

Toll Free: 1 800 527 4612 • Local: 905 279 5370 Email: info@mobilept.com









COMPANY BIO



Founded over 53 years ago in Mississauga, Ontario, Canada, Mobile Industries Inc. (Mobile) has grown into a leading North American manufacturer and global supplier of material handling equipment. We provide a wide variety of standard and custom ergonomically designed products to meet even the most difficult applications. Stringent quality control, dependability and competitive pricing have made Mobile the material handling supplier of choice worldwide. Innovative and custom designs coupled with attention to detail have enabled Mobile to develop numerous products which have set industry standards.


Mobile is proud to be:

- First in the industry to offer 2" low-profile and 1.5" super low-profile pallet trucks
- First in the industry to offer 4-way pallet trucks
- First in the industry to offer eccentric adjustable push rods
- First in the industry to offer application-specific designed stackers

Our strategic warehousing locations allow Mobile to provide fast, efficient and cost-effective product movement around the world. Mobile offers its customers container logistics, less than container quantities, truck loads, and individual packages, and has established relationships and costs with carriers in all market regions. In an industry where "delivered pricing" is the standard, many of Mobile's customers benefit from competitive positioning in the marketplace and feel that Mobile's supply locations and shipping services are invaluable.

Mobile supports its dealers and clients with an extensive offering of custom design and paint options, as well as private product labelling. Mobile is proud to be long time partners with some of the largest material handling suppliers in the industry, providing them with the right product at the right price. This is what has kept Mobile going for more than 50 years and what will keep us going for the next 50!







MLX55: Capacity (lbs): 5500 / 4400, Fork Widths (inch): 20.5 / 27, Fork Lengths (inch): 35 / 48 / 59 / 71
ECO I-55: Capacity (lbs): 7700 / 6000 / 5500 / 4400, Fork Widths (inch): 18 / 20.5 / 27 / 33 / 40, Fork Lengths (inch): 32 / 35 / 42 / 48 / 59 / 71 / 98 / 118 Options: Nylon or Steel Wheels, Tandem Rollers, Load Backrest, Quick Lift Pump, Auto Brake, Drive-Assist, 4-Way Fork Dimensions, Low/Super Low Profile Forks, Weigh Scale, Roll Handling Forks, Corrosion Resistant Galvanized, and Stainless Steel Body, Rough Terrain ECO F-44WL: Capacity (lbs): 4400, Fork Widths (inch): 20.5 / 27, Fork Lengths (inch): 48

Features: Easy-To-Use, Clickable Display Buttons, High Contrast LCD Display, Zero Correction, Gross Net Weighing/Total Weight Functions, Auto Shut-Off after 3 minutes, 1kg/2.2lb Increments, High-Quality Powder Coat Finish, Tare Function, 70 Hrs Use, Tolerance: +1-4.4lbs, Rechargeable AA Batteries (4 x 1.5V) CORROSION RESISTANT (ECO I-446 / ECO I-445S): Capacity (lbs): 4400, Fork Widths (inch): 20.5 / 27, Fork Lengths (inch): 48

Features: 304 Stainless Steel Construction, 100% Galvanized/Stainless Steel Pump, Handle, Frame and Components, Standard Nylon Wheels and Rollers

BROAD PALLET TRUCK APPLICATIONS:

- 1. Freezer / Cold Storage Environment with temperatures down to -10 degree F (ECO I-44G / ECO I-44SS)
- 2. Pharmaceutical / Chemical Exposure, Clean Room / Cold Room Environment units reguiring regular wash down (EEO I-446 / EEO I-44SS)
- 3. Highly Corrosive Chemical Applications / Manufacturing (ECO I-446 / ECO I-44SS)
- 4. Food Processing & Distribution / Fisheries / Wet Conditions (ECO I-446 / ECO I-44SS)
 5. Beverage Bottling & Distribution (MLX55 / ECO I-55 / IBT55 Standard Pallet Trucks)
- 6. Construction / Gravel Pits / Nurseries / Soft/Uneven Surfaces / Straddling Pallets (EEO Straddle Pallet Truck)
 7. Grocery / Retail (MLX55 / EEO I-55 / IBT55 Standard Pallet Trucks / EEO Low-Profile & MINEY 4-Way / EEO Backrest Models)
- 8. General Warehousing (MLX55 / ECO I-55 / IBT55 Standard Pallet Trucks)
- 9. Manufacturing / Abusive Heavy Duty Applications / Paper & Printing / Trucking (ECO I-66 / ECO I-77 Heavy Duty Models)









B-SERIES: Capacity (lbs): 1500 / 2000, Lift Heights (inch): 50 / 60 / 70 / 80 Options: Fixed Fork/Fork-Over, 5th Wheel, AC Power, Hand Remote, Snap-On Platform, Modified Fork Lengths

F-SERIES: Capacity (lbs): 1500 / 2000, Lift Heights (inch): 96 / 120 / 132 / 144 Options: AC Power, Hand Remote, Snap-On Platform, Modified Fork Lengths, Fixed Straddle Legs

MW SERIES (MW500): Capacity (lbs): 500, Lift Heights (inch): 54, Fixed Platform (inch): 20 x 20 MW SERIES (MW750): Capacity (lbs): 750, Lift Heights (inch): 60, Forks (inch): 42" Adjustable Options: Snap-On Platform

ECO SERIES (MANUAL): Capacity (lbs): 2200 (*3300 lbs capacity available in fork-over or fixed platform models with 63" lift height), Lift Heights (inch): 63 / 98 / 118 Options: Straddle or Fork-Over design, 30" x 32" Fixed Platform
ECO SERIES (HYDRAULIC): Capacity (lbs): 2200 Lift Heights (inch): 63 / 98 / 118

ECO SERIES (HYDRAULIC): Capacity (lbs): 2200, Lift Heights (inch): 63 / 98 / 118 Options: Straddle or Fork-Over design

BROAD STACKER APPLICATIONS: General Warehousing **(B-Series/F-Series Mobile Hydraulic Stackers)** (No Loading Docks, Handling Skids or Pallets, Bales, Baskets, Die & Mold Handling)







ESET33N: Capacity (lbs): 3300, Fork Widths (inch): 20.5 / 27, Fork Lengths (inch): 48, Options: Full Electric Lift/Drive Capability (EFET33N model) ESPT44N: Capacity (lbs): 4400, Fork Widths (inch): 21.3 / 27, Fork Lengths (inch): 45 / 48, Options: Ride-On Operator Platform (ESPT44N model) HESPT60N: Capacity (lbs): 6000, Fork Widths (inch): 22 / 27, Fork Lengths (inch): 48

EBS28N: Capacity (lbs): 2800, Lift Heights (inch): 116 / 144 / 175, Reach Distance (inch): 21.7 (116" Lift), 22.8 (144" / 175" Lift)

RTS30N: Capacity (lbs): 3000, Lift Heights (inch): 112 / 139 / 179 / 214, Reach Distance (inch): 22.4

RPS33N: Capacity (lbs): 3300, Lift Heights (inch): 124 / 156 / 179 / 215 / 234, Straddle Leg I.D. / 0.D. (inch): 38-50 / 47.8-59.8

RPS33NFF (Fork-Over): Capacity (lbs): 3300, Lift Heights (inch): 141 / 157 / 181 / 216 / 236

LLS22 Low Lift Stacker (model not shown): Capacity (lbs): 2200, Lift Height (inch): 76



Mobile Scissor Lifts combine pallet truck maneuverability with lift stacker capabilities. Ideal for work stations, conveyor systems and other common warehouse duties that require work height regulations.

Mobile's Allied Series is a varied selection of transport, storage and material handling equipment. Increase workflow and productivity with space-saver equipment.



MOBILE SCISSOR LIFTS (MPS25 MANUAL / BPS25 BATTERY): Capacity (lbs): 2500, Fork Widths (inch): 20.5 / 27, Fork Lengths (inch): 48

Options: Corrosion Resistant, Stanless Steel Body (EMSL22N-SS / EMSL33N-SS)

ECO LIFT TRBLES: Capacity (lbs): 330 / 660 / 770 / 1100 / 1650 / 2200, Pork Widths (inch): 46

Options: Corrosion Resistant, Stanless Steel Body (EMSL22N-SS / EMSL33N-SS)

ECO LIFT TRBLES: Capacity (lbs): 330 / 660 / 770 / 1100 / 1650 / 2200, Platform Dimensions/Lift Heights: Various

Options: Extra Large Platform Dimensions, Battery Operated Lift (770lb Capacity Model)

ROLLING LADDERS: Capacity (lbs): 350, Lift Heights (inch): 29-140, Step Count: 3 / 4 / 6 / 8 / 10 / 14 Options: Tilt n' Roll, 50°/60° Incline

PLATFORM TRUCKS: Capacity (lbs): 2000 / 2500, Platform Width (inch): 24 / 30, Platform Length (inch): 48 / 60 Options: Steel Bed, Plastic Bed, Aluminum Bed

LUMBER CARTS: Capacity (lbs): 2000, Platform Width/Length: Various

(SCISSOR LIFTS) MANUAL PUMP • BATTERY OPERATED • CORROSION RESISTANT • STAINLESS STEEL • FOOT PUMP (Allied Equipment) safety gates • quarter pallet dollies • siding carts • storage racks • electric shopping carts • electric lift hand trucks

